









ACCESSOIRES ASPIRATION - REFOULEMENT

| Désignation | Dimensions | Code | P.U. € H.T. |
|---|--|----------|-------------|
| RACCORD D'ASPIRATION ROTO FEMELLE / BRIDE (GALVANISÉ) | | | |
| Avec joint | | | |
|  <p>Piquage mâle 1"1/4 pour amorçage</p> | 80 x DN 50 | AT4205-G | 101,78 |
| | 80 x DN 65 | AT4210-G | 108,35 |
| | 80 x DN 80 | AT4215-G | 113,02 |
| | 100 x DN 65 | AT4220-G | 117,24 |
| | 100 x DN 80 | AT4225-G | 118,53 |
| | 100 x DN 100 | AT4230-G | 125,05 |
| | 120 x DN 65 | AT4235-G | 132,00 |
| | 120 x DN 80 | AT4240-G | 133,48 |
| | 120 x DN 100 | AT4245-G | 136,44 |
| | 150 x DN 100 | AT4250-G | 174,72 |
| 150 x DN 125 | AT4255-G | 192,08 | |
| RACCORD D'ASPIRATION ROTO MALE / BRIDE (GALVANISÉ) | | | |
|  <p>Piquage mâle 1"1/4 pour amorçage</p> | 80 x DN 50 | AT4275-G | 117,96 |
| | 80 x DN 65 | AT4280-G | 124,97 |
| | 80 x DN 80 | AT4285-G | 129,62 |
| | 100 x DN 65 | AT4290-G | 136,39 |
| | 100 x DN 80 | AT4295-G | 137,02 |
| | 120 x DN 65 | AT4305-G | 155,91 |
| | 120 x DN 80 | AT4310-G | 153,63 |
| | 120 x DN 100 | AT4315-G | 159,79 |
| | 150 x DN 100 | AT4320-G | 201,03 |
| | 150 x DN 125 | AT4325-G | 219,08 |
| ENTONNOIR D'AMORÇAGE | | | |
|  | 1"1/4 | NE4650 | 30,70 |
| POMPE D'AMORÇAGE | | | |
|  | 3/4" | NE4700 | 92,60 |
| FILTRES PIVOTS | | | |
|  | DN 100 (jusqu'à 90 m ³ /h) | PO0300 | Nous |
| | DN 150 (jusqu'à 150 m ³ /h) | PO0301 | consulter |

ACCESSOIRES ASPIRATION - REFOULEMENT

| Désignation | Dimensions | Code | P.U. € H.T. |
|---|--------------|----------|-------------|
| RACCORD DE REFOULEMENT ROTO FEMELLE / BRIDE (GALVANISÉ) | | | |
| Avec joint | | | |
| Piquage femelle 1/4" pour manomètre  | 80 x DN 40 | AT4345-G | 84,10 |
| | 80 x DN 50 | AT4350-G | 87,23 |
| | 80 x DN 65 | AT4355-G | 90,57 |
| | 100 x DN 50 | AT4360-G | 95,82 |
| | 100 x DN 65 | AT4365-G | 95,34 |
| | 100 x DN 80 | AT4370-G | 97,33 |
| | 120 x DN 65 | AT4375-G | 100,73 |
| | 120 x DN 80 | AT4380-G | 101,85 |
| | 120 x DN 100 | AT4385-G | 103,78 |
| | 150 x DN 100 | AT4390-G | 116,31 |
| | 150 x DN 125 | AT4395-G | 119,01 |


| | | | |
|---|-----------|----------|-------|
| RACCORD D'ASPIRATION ROTO FEMELLE / MANCHETTE CANNELÉE USINÉE (GALVANISÉ) Avec joint | | | |
|  | 80 x 76 | AT4410-G | 35,94 |
| | 80 x 80 | AT4415-G | 35,94 |
| | 100 x 100 | AT4420-G | 47,21 |
| | 100 x 110 | AT4425-G | 54,72 |
| | 120 x 110 | AT4430-G | 52,01 |
| | 120 x 120 | AT4435-G | 52,36 |
| | 150 x 150 | AT4440-G | 83,09 |

| | | | |
|---|-----------|----------|--------|
| RACCORD ROTO MALE / MANCHETTE CANNELÉE USINÉE (GALVANISÉ) | | | |
|  | 80 x 76 | AT4455-G | 43,63 |
| | 80 x 80 | AT4460-G | 43,63 |
| | 100 x 100 | AT4465-G | 62,71 |
| | 100 x 110 | AT4470-G | 65,87 |
| | 120 x 110 | AT4475-G | 69,65 |
| | 120 x 120 | AT4480-G | 71,28 |
| | 150 x 150 | AT4485-G | 104,36 |

ACCESSOIRES ASPIRATION - REFOULEMENT

| Désignation | Dimensions | Code | P.U. € H.T. |
|-------------|------------|------|-------------|
|-------------|------------|------|-------------|


RACCORD MALE BB / MANCHETTE CANNELÉE USINÉE (GALVANISÉ)



| | | |
|-----------|----------|--------|
| 76 x 76 | AT2404-G | 45,01 |
| 89 x 89 | AT2406-G | 50,66 |
| 108 x 110 | AT2408-G | 72,57 |
| 133 x 120 | AT2410-G | 86,27 |
| 159 x 150 | AT2412-G | 119,68 |


RACCORD MALE BB / MANCHETTE CANNELÉE USINÉE (GALVANISÉ)

Avec joint



| | | |
|-----------|----------|-------|
| 76 x 76 | AT2424-G | 33,10 |
| 89 x 89 | AT2426-G | 36,47 |
| 108 x 110 | AT2428-G | 53,28 |
| 133 x 120 | AT2430-G | 57,26 |
| 159 x 150 | AT2434-G | 86,36 |

MANCHETTE CANNELÉE USINÉE / MANCHETTE FILETÉE (GALVANISÉ)



| | | |
|------------|----------|-------|
| 70 x 3" M | AT4500-G | 34,08 |
| 80 x 3" M | AT4505-G | 38,23 |
| 100 x 4" M | AT4510-G | 50,93 |
| 120 x 5" M | AT4515-G | 76,65 |

MANCHETTE CANNELÉE USINÉE / MANCHON TARAUDÉ (GALVANISÉ)



| | | |
|------------|----------|-------|
| 70 x 3" F | AT4530-G | 41,71 |
| 80 x 3" F | AT4535-G | 44,48 |
| 100 x 4" F | AT4540-G | 53,01 |
| 120 x 5" F | AT4545-G | 83,71 |